

Parasine Rapid


Parasine Rapid:

Pažljivo pročitajte upute za upotrebu jer sadrže važne informacije.

Proizvod Parasine Rapid medicinski je proizvod. Pažljivo slijedite upute za upotrebu. Sačuvajte upute za upotrebu jer ćete ih možda trebati ponovno pročitati. Ako imate bilo kakvih pitanja ili ako su vam potrebne dodatne informacije, slobodno se obratite svojem ljekarniku.

Namjena: medicinski proizvod Parasine Rapid namijenjen je za upotrebu u ljudi za uništavanje ušiju u kosi pacijenta.

Sastojci: izopropil miristat, ciklopentasiloksan, dimetikon, nerolidol, ulje lista čajevca (*Melaleuca alternifolia*), ulje timijana (*Thymus vulgaris*).

Svojstva: glavne djelatne tvari u medicinskom proizvodu Parasine Rapid su izopropil miristat i ciklometikon D5. Izopropil miristat osigurava fizikalno-ke-mijsko cijepanje voštanih slojeva vanjskog oklopa ušiju, što naknadno dovodi do njihove dehidracije i smrti. Ciklometikon D5 sprječava dovod zraka do ušiju i njihovih jajašca, što naknadno dovodi do njihova gušenja i/ili pucanja. Eterična ulja čajevca i timijana osiguravaju dodatan učinak tako što sprječavaju nadraženost vlasišta koja se javlja uz pojavu ušiju u kosi.

Indikacije: proizvod Parasine Rapid indiciran je za uništavanje ušiju i njihovih jajašca u kosi pacijenta.

Kontraindikacije: preosjetljivost na bilo koju od tvari koje su navedene u sastojcima proizvoda.

Interakcije: nikakve neželjene interakcije nisu poznate ni za jedan od sastojaka proizvoda. Ako se upotrebljavaju drugi proizvodi, ovaj proizvod za lokalnu primjenu može se isprati prilikom upotrebe proizvoda Parasine Rapid.

Nuspojave: proizvod se obično vrlo dobro podnosi. U rijetkim slučajevima može doći do nadraženosti kože koja se javlja u obliku svrbeža ili crvenila. Ako bilo koja od ovih nuspojava postane ozbiljna ili ako primijetite bilo koje nuspojave koje nisu navedene u ovim uputama za upotrebu, obratite se liječniku ili ljekarniku.

Doziranje i način primjene:

Proizvod Parasine Rapid može se upotrebljavati u djece u dobi od dvije godine i više te u odraslih, uključujući trudnice i dojilje. Djeca mlađa od 15 godina smiju upotrebljavati proizvod pod nadzorom odrasle osobe. Nemojte upotrebljavati proizvod u slučaju preosjetljivosti na bilo koji sastojak proizvoda. Proizvod je namijenjen samo za vanjsku upotrebu.

1. Prije primjene proizvoda provjerite jesu li uši prisutne u kosi svih članova obitelji. Ključno je da sve osobe u kojih je infestacija ušiju dokazana primjenjuju proizvod u isto vrijeme da bi se spriječila ponovna infestacija.
2. Prekrijte ramena osobe ručnikom.
3. Otvorite čep aplikatora. Primijenite proizvod na suhu kosu tako da opetovano stišćete bočicu i polazite od čela do vrha glave, a zatim nastavite prema ušima i zatiljku po cijeloj dužini kose. Količina otopine ovisit će o gustoći i dužini kose te o stupnju infestacije. Za kosu do ramena trebate upotrijebiti otprilike 50 ml proizvoda.
4. Nakon primjene temeljito i ravnomjerno utrljajte otopinu u kosu tako da je kosa dobro navlažena po cijeloj dužini, uključujući vlasišta.
5. Nakon primjene ostavite otopinu da djeluje 10 minuta.
6. Nakon što prođe minimalno potrebno vrijeme, češljajte kosu češljem s tankim zupcima duž pojedinačnih pramenova.
7. Uklanjajte sve parazite s češlja dok to radite.
8. Nakon češljanja isperite kosu mlakom vodom, a zatim je operite uobičajenim šamponom.

Tijekom idućih deset dana redovito provjeravajte kosu radi uočavanja pojave ušiju i/ili gnjida. Odmah ponovite postupak ako su uši/gnjide prisutne ili ako niste sigurni jesu li žive ili mrtve.

Ponovite postupak nakon deset dana čak i ako prilikom pregledavanja kose niste pronašli nikakve žive uši i/ili gnjide. Time će se spriječiti ponovna infestacija u slučaju da tijekom pregleda nisu pronađene nikakve uši ili gnjide koje su možda preživjele.

Kao dodatnu mjeru kojom se učinkovito smanjuje rizik od ponovne infestacije preporučujemo da istovremeno također pregledate kosu svih članova obitelji. Također se preporučuje da operete odjeću, posteljinu, ručnike itd. na temperaturi od 60 °C. Češljeve i slične predmete možete dekontaminirati tako da ih stavite u vodu na temperaturi od 60 °C na 10 minuta. Predmete koje nije moguće oprati, a potrebno ih je dekontaminirati, trebate staviti u plastičnu vrećicu i ostaviti u hladnjaku pet dana ili na sobnoj temperaturi tri tjedna. Temeljito očistite svoj dom, a posebice tepihe, presvlake itd.

Oprez:

- ⚠ Ako dođe do slučajnog gutanja, odmah popijte puno vode, a ako imate bilo kakvih dodatnih problema, obratite se liječniku.
- ⚠ Ako otopina dospije u oči, odmah ispirite oči vodom otprilike 10 minuta.
- ⚠ Ako dođe do nadraženosti kože (crvenila, boli, svrbeža), odmah se obratite liječniku.

Čuvanje: čuvati izvan dohvata i pogleda djece.


Čuvati u originalnom pakiranju.


Upozorenje:

- ⚠ Nemojte primjenjivati proizvod na oštećenoj koži.
- ⚠ Ako proizvod uđe u ranu, isperite je vodom ili dezinficijensom koji vam je na raspolaganju.
- ⚠ Nemojte upotrebljavati proizvod nakon datuma isteka roka valjanosti.

Pakiranje: proizvod Parasine Rapid isporučuje se u bočici od polietilena (PE) s čepom. Bočica sadrži 100 ml otopine.









Zbrinjavanje: vratite sav neiskorišteni proizvod u ljekarnu. Odložite čisti materijal pakiranja u odgovarajući spremnik za recikliranje otpada.

 Neofyt spol. s r.o., Pražská 442, 281 67 Stříbrná Skalice, Republika Češka
 Internetska stranica: www.phyteneo.cz,
 adresa e-pošte: phyteneo@phyteneo.cz

 Podaci su navedeni na pakiranju.


Zapremina: 100 ml

C-400-355-21-HR-R0, 04.03.2024

 Ograničenje temperature.	 Broj serije.
 Čuvati podalje od sunčeve svjetlosti.	 Rok upotrebe.
 Pročitati upute za upotrebu.	 Proizvođač.
 Kataloški broj.	 Upozorenje.

Parasine Rapid

EN Parasine Rapid:


Please read the Instructions for Use carefully as they contain important information.

Parasine Rapid is a medical device. Follow the Instructions for Use carefully. Keep the Instructions for Use in case you need to read them again. If you have any questions, or if you need further information, please do not hesitate to contact your pharmacist.

Intended Purpose: The medical device Parasine Rapid is indicated for human use to eliminate lice in the patient's hair.

Ingredients: Isopropyl myristate, Cyklopentasiloxane, Dimethicone, Nerolidol, Melaleuca Alternifolia Leaf Oil, Thymus Vulgaris Oil.

Characteristics: The main active substance in medical device Parasine Rapid is isopropyl myristate and cyclomethicone D5. Isopropyl myristate ensures the physiochemical disruption of the waxy layers of the exoskeleton of lice with their subsequent dehydration and death. Cyclomethicone D5 prevents air from getting to the lice and their eggs, leading to their subsequent suffocation and/or rupture. Tea tree and thyme essential oil provide an additional function by preventing the scalp irritation that accompanies the occurrence of head lice.

Indications: Parasine Rapid is indicated to eliminate lice and their eggs in the patient's hair.

Contraindications: Hypersensitivity to any one of the substances stated in the ingredients of the product.

Interactions: No undesirable interactions are known for any of the product's ingredients. If other products are used, this topical product may be washed out when using Parasine Rapid.

Adverse Effects: The product is usually very well tolerated. Skin irritation may occur in rare cases, manifested through itching or redness. If any of these adverse effects occur to a serious extent, or if you notice any adverse effects that are not mentioned in these Instructions for Use, please contact a doctor or pharmacist.

Dosage and Method of Application:

Parasine Rapid can be used for children from 2 years of age and adults, including pregnant and nursing women. Children under 15 years of age should use the product under adult supervision. Do not use the product in the event of hypersensitivity to any of the product's ingredients. The product is intended for external use only.

1. Before applying the product, check for the presence of lice in the hair of all family members. It is vital to treat everyone with a proven infestation of lice at the same time in order to prevent re-infestation.
2. Cover the person's shoulders with a towel.
3. Unscrew the applicator cap. Apply the product to dry hair by repeatedly squeezing the bottle, moving from the forehead to the top of the head, then continue to the ears and nape along the entire length of the hair. The amount of solution will depend on the thickness and length of the hair and the degree of infestation. For shoulder-length hair, you should use approximately 50 ml of the product.
4. After application, rub the solution thoroughly and evenly into the hair so that it is well moistened along its entire length, including the scalp.
5. Leave on for 10 minutes after applying the solution.
6. After the minimum requisite time has elapsed, comb the hair with a fine-toothed comb along individual strands.
7. Remove any parasites from the comb as you go.
8. After combing, rinse your hair with lukewarm water and then wash with your regular shampoo.

Regularly check the hair for the occurrence of lice and/or nits over the next 10 days. Immediately repeat the procedure if lice/nits are present or if you are unsure whether they are alive or dead.

Repeat the procedure after ten days even if no live lice and/or nits were found when examining the hair. This will prevent re-infestation in the event an examination failed to find any lice or nits that might have survived.

As an auxiliary measure that effectively reduces the risk of re-infestation, we recommend that you also check all members of the family at the same time. It is further recommended to wash clothes, bed linen, towels, etc. at a temperature of 60 °C. Combs and similar items can be decontaminated by placing them in water at a temperature of 60 °C for 10 minutes. Unwashable items that need to be decontaminated should be placed in a plastic bag and left in the refrigerator for 5 days, or at room temperature for 3 weeks. Clean your place of residence thoroughly, in particular the carpets, upholstery, etc.

Caution:

- ⚠ Upon accidental ingestion, drink plenty of water immediately and if you have any further problems, please contact a doctor.
- ⚠ If the solution gets into your eyes, rinse with water immediately for about 10 minutes.
- ⚠ If there is any skin irritation (redness, pain, itching) contact a doctor immediately.

Storage: Keep out of the reach and sight of children. Keep in the original packaging.


Warning:

- ⚠ Do not apply the product to broken skin.
- ⚠ If it enters a wound, wash with water or a readily available disinfectant.
- ⚠ Do not use the product after the expiration date.









Packaging: Parasine Rapid is supplied in a PE bottle with a cap. The bottle contains 100 ml of solution.

Disposal: Return any unused product to the pharmacy. Dispose of the clean packaging material in the appropriate recycling bin.

 Neofyt Ltd., Pražská 442, 281 67 Stříbrná Skalice, Czech Republic
Web: www.phyteneo.cz, E-mail: phyteneo@phyteneo.cz

 Data is stated on the package


Volume: 100 ml
C-400-355-21-HR-R0, 04.03.2024

 Temperature limit.	 Batch number.
 Protect from sunlight.	 Use by date.
 Read Instructions for Use.	 Manufacturer.
 Catalogue number.	 Warning.